

L Number	Hits	Search Text	DB	Time stamp
1	9815	(shield or ground) with ("two" or pair) same (pin or port)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:12
2	266	((shield or ground) with ("two" or pair) same (pin or port)) and (chip or ic or integrated circuit) near10 (cpu or processor or pu or mpu or microprocessor) near10 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:16
3	149	710/300-302.ccls. and (chip or ic or integrated circuit) near10 (cpu or processor or pu or mpu or microprocessor) near10 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:17
4	74	710/300-302.ccls. and (chip or ic or integrated adj circuit) near10 (cpu or processor or pu or mpu or microprocessor) near10 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:17
7	49	system adj2 chip same (cpu or processor) same memory same speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:33
8	1	("6526462").PN.	USPAT	2004/03/04 15:33
-	1	("5908333").PN.	USPAT	2004/03/01 19:36
-	148424	(shield or ground) with ("two" or pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:42
-	15452	(pin same (shield or ground)) and ((shield or ground) with ("two" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:37
-	573849	(shield or ground).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:41
-	7195	((pin same (shield or ground)) and ((shield or ground) with ("two" or pair))) and ((shield or ground).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:42

-	46884	5.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:42
-	7313	((shield or ground) with ("two" or pair)) same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:10
-	56509	pin same (shield or ground)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:45
-	1319	10.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:43
-	5124	(shield\$3 or ground\$3) near10 ((pair or "two") near3 (signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:44
-	1176	13.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:45
-	63	13.ab,ti. same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:48
-	7705	ground near3 shield	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:47
-	2216	16.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 19:48
-	79	16.ab,ti. same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 20:38
-	0	6658530.URPN.	USPAT	2004/03/01 19:53

-	0	6658530.URPN.	USPAT	2004/03/01 19:53
-	14	("4917616" "4975084" "5270964" "5430859" "5726863" "5790447" "5829036" "6160716" "6172895" "6347039" "6353539" "6402566" "6414868" "6457155").PN.	USPAT	2004/03/01 19:53
-	962	710/300-302.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 20:38
-	23	710/300-302.ccls. and ((shield\$3 or ground\$3) near10 ((pair or "two") near3 (signal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:17
-	2322	ground adj shield	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 14:13
-	540	1.ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 14:13
-	37	1.ab,ti. same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 14:51
-	3	((("6658530") or ("6540559") or ("5176538")).PN.	USPAT	2004/03/02 15:19
-	0	signal adj shield same ground adj pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 15:20
-	139	shield same ground adj pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 15:20
-	62	(shield same ground adj pin) same signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 15:20

-	196	710/300-302.ccls. and (shield\$3 or ground\$3) same pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:29
-	96	(710/300-302.ccls. and (shield\$3 or ground\$3) same pin) and (driver or transceiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:27
-	266	memory near8 (expan\$5) same (pins or ports) same (input\$1) same (output\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:36
-	8	710/300-302.ccls. and (memory near8 (expan\$5) same (pins or ports) same (input\$1) same (output\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:34
-	258	(memory near8 (expan\$5) same (pins or ports) same (input\$1) same (output\$1)) not (710/300-302.ccls. and (memory near8 (expan\$5) same (pins or ports) same (input\$1) same (output\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:35
-	260	711/149.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:35
-	1	(memory near8 (expan\$5) same (pins or ports) same (input\$1) same (output\$1)) and 711/149.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:35
-	25	memory near8 (expan\$5) and 711/149.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:40
-	1872	memory near8 (expan\$5 or add adj "on") near8 card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:41
-	63	(memory near8 (expan\$5 or add adj "on") near8 card) same (pins or ports)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:48

-	421	710/301.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:48
-	1104578	(card or memory).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:48
-	285	710/301.ccls. and ((card or memory).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:13
-	1379	(card or expansion near3 (memory or module or device or \$2ram)) same (input or output) adj2 (pins or ports)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:17
-	123	((card or expansion near3 (memory or module or device or \$2ram)) same (input or output) adj2 (pins or ports)) same (driver or router or transceiver or transmitt\$1r)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:15
-	102	((card or expansion near3 (memory or module or device or \$2ram)) same (input or output) adj2 (pins or ports)) same (driver or transceiver or transmitt\$1r)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:17
-	735	(card or expansion near3 (memory or module or device or \$2ram)) with (input or output) adj2 (pins or ports)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:25
-	39	((card or expansion near3 (memory or module or device or \$2ram)) with (input or output) adj2 (pins or ports)) same (driver or transceiver or transmitt\$1r)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:18
-	1949	(ic or integrated adj circuit or card or expansion near3 (memory or module or device or \$2ram)) with (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:58
-	294	((ic or integrated adj circuit or card or expansion near3 (memory or module or device or \$2ram)) with (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))) and (card or expansion) near3 (memory or module or device or \$2ram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:36

-	48	((card or expansion) near3 (memory or \$2ram)) with (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:52
-	3982	(memory or \$2ram) near10 (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 19:06
-	37	((memory or \$2ram) near10 (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))) and (expansion or "add" adj "on") adj3 (module or card or \$2ram or ic or integrated adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:57
-	27621	driver near10 input near10 output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:57
-	1429	(driver near10 input near10 output) same (ports or pins)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:58
-	829	((driver near10 input near10 output) same (ports or pins)) and (ic or integrated adj circuit or card or expansion near3 (memory or module or device or \$2ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 19:00
-	638	((driver near10 input near10 output) same (ports or pins)) and (ic or integrated adj circuit or card or expansion near3 (memory or module or device or \$2ram))) and (memory or \$2ram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 18:59
-	241	((driver near10 input near10 output) same (ports or pins)) same (ic or integrated adj circuit or card or expansion near3 (memory or module or device or \$2ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 19:00
-	36	711/149.ccls. and (input\$1 adj2 (pins or ports)) with (output\$1 adj2 (pins or ports))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 19:12
-	2	((("4,891,794") or ("5,450,355")).PN.	USPAT	2004/03/03 14:07
-	1	("6216205").PN.	USPAT	2004/03/03 14:08

-	355	((shield or ground) with ("two" or pair)) same (pin or port) same differential	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/04 15:13
-	1872	((shield or ground) with ("two" or pair)) same (pin or port).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:12
-	53	((shield or ground) with ("two" or pair)) same (pin or port) same differential) and (((shield or ground) with ("two" or pair)) same (pin or port).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:12
-	967	((shield or ground) with ("two" or pair)) same (pin or port) same conductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:33
-	174	((shield or ground) with ("two" or pair)) same (pin or port) same conductor) and (((shield or ground) with ("two" or pair)) same (pin or port).ab,ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:46
-	247	conductive adj trace near10 bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 20:46